

Purchase Order Receipt Listing

Monday, June 26, 2017 2:13:02 PM

Page 1 of 1

All amounts are calculated in domestic currency.

All Vendors PO ID PO36549 All Receipt Dates All Line Item Types

All Item ID/GL/WOs All Rec. Employees All Currencies

Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
Vendor ID \ Vendor Name PO36549	1	VU-MET002	A.M. Castle & Co. (Canada) Inc.- C/O 910720		6/23/2017	6/23/2017	12.0000		0.0000	0	\$0.00
USD	No		M7075T6S4.000X3.0 f Wide x 4" Thick Plate m137865	f	12.0000	PLOU01			0.0000	0	
	2		M7075T6S6.000X0.2 f Wide x 6" Thick Plate m137887	f	12.0000	PLOU01	12.0000 ✓		0.0000	0	\$0.00
	No		7075-T6S Sheet 0.25" Wide x 6" Thick Plate m137887	f	12.0000	PLOU01			0.0000	0	
	3		M7075T6S6.000X1.0 f Wide x 6" Thick Plate m137887	f	12.0000	PLOU01	12.0000 ✓		0.0000	0	\$0.00
	No		7075-T6S Sheet 1" Wide x 6" Thick Plate m137887	f	12.0000	PLOU01			0.0000	0	
	4		71401-45 PROCUREMENT QUALITY CLAUSES m137865		6/23/2017	6/23/2017	1.0000		0.0000	0	\$0.00
	No				1.0000	PLOU01			0.0000	0	

Total Received Quantity:
Total Qty to Inspect (PO U/M): 37.0000
Total Reject Quantity: 0.0000
Total Receipt Value: \$0.00
Total Balance Due Quantity: 0.0000

**Castle Metals®**

A. M. Castle & Co.

**PACKING SLIP/
CERTIFICATE OF CONFORMANCE**

Page 1 of 1

Pack Slip No:2669430

Ship From: A. M. Castle & Co. Los Angeles 14001 Orange Avenue Paramount, CA 90723	Sold To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	Ship To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	Deliver To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA
Date Shipped 21-JUN-2017	F.O.B. ORIGIN	Freight Terms Prepaid	Carrier BO-SHIP DIRECT
		BOL No 2681640	Delivery No 121118367

Shipment Details

Final Destination Branch -

Order No 4779135	Line No 2	Item No 752054.MO	Description 3.0000.PL.7075.T651.ALUMINUM.USI.48.5000.144.5000 CUT RECTANGLE TO 4 IN (+ .1250/- .0000 IN) X 72 IN (+ .1250/- .0000 IN) - ALUMINUM PLATE SAW SPECIFICATIONS: AMS-QQ-A-250/12
Purchase Order No 36549	Part Number	Ordered Qty 2.00 PCS	Invoice Qty 2.00 PCS
Details	ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #S Email P/s and certs to: clavoie@dartaero.com END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS		
Mill	Heat Number 170334B7	Mech ID	PCS 2
		Width (IN)	Length (IN) 178.0174
			Shipped Qty (LBS)

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

Reviewed by Authorized Castle Metals Representative:

Date:

Name:

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations.

27 June 2017 12:26:19 PM

SHIP TO:

A M CASTLE & CO
14001 ORANGE AVE
P.O. BOX 1402
PARAMOUNT, CA 90723

KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586

SOLD TO:

AM CASTLE & CO- SOLD TO
1420 KENSINGTON RD
SUITE 220
OAK BROOK, IL 60523

CERTIFIED TEST REPORT

Serial Number

4415418

CUSTOMER PO NUMBER: 371337		WORK PACKAGE:		CUSTOMER PART NUMBER: 752054		SHIP RUN/LOAD: 103536/15		GOV'T CONTRACT NUMBER:	
KAISER ORDER NO: 1209403	LINE ITEM: 1	SHIP DATE: 17-APR-2016	ALLOY: 7075	CLAD: BARE	TEMPER: T651	PRODUCT DESCRIPTION: KaiserSelect Plate			
WEIGHT SHIPPED: 4344 LB	QUANTITY: 2 PCS EST.	TRUCK B/L #: 2059793	GAUGE: 3.0000 IN (76.2000 MM)		DIAMETER/WIDTH: 48.500 IN (1231.9 MM)		LENGTH: 144.500 IN (3670.3 MM)		

MHU 1988532: LOT 170334B7: 15 pieces;

MHU 1990260: LOT 170263B8: 9 pieces;

Certified Specifications

AMS 4045/RevK
ASTM B 209/Rev14
BSS 7055/RevB
DPS 4.713/RevAK
PS 21211/RevP

AMS-QQ-A-250/12/RevA
ASTM B 594/Rev13
CMMP 025/RevU
GAMPS 9101/RevB/AmdSCN1

AMS-STD-2154/RevA
BAC 5439/RevJ
CSTI 006/RevE
GSS16100/RevG/Amd1

Test Code: 1512

Test Results

Lot: 170263B8 Cast 179 Drop 43 Ingot 4 Melted in USA

(ASTM E8/B557)

(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T651	LT / 2 (Min:Max)	76.0 : 77.0 (524 : 531)	64.6 : 66.3 (445 : 457)	10.4 : 10.6

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual(wt%)	0.08	0.17	1.5	0.03	2.5	0.20	5.9	0.03	0.01	0.01	TOT 0.06



KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586

CERTIFIED TEST REPORT

Serial Number
4415418

Lot: 170334B7 Cast 179

Drop 26

Ingot 4

Melted in USA

(ASTM E8/B557)
(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T651	LT / 2 (Min:Max)	76.9 : 77.0 (530 : 531)	65.6 : 66.4 (452 : 458)	10.5 : 11.2

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual(wt%)	0.07	0.17	1.5	0.03	2.4	0.20	5.7	0.03	0.01	0.01	TOT 0.05

ALLOY LIMITS

	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER	MAX
7075												
MIN(wt%)	0.00	0.00	1.2	0.00	2.1	0.18	5.1	0.00	0.00	0.00	EACH	0.05
MAX(wt%)	0.40	0.50	2.0	0.30	2.9	0.28	6.1	0.20	0.05	0.05	TOT	0.15

Aluminum Remainder

ORDER COMMENTS
AMC CA-15403C R 6

TEST NOTES


Metal represented by this test report was 100% Type I (immersion) ultrasonically tested from one side with 3mm dead zones top and bottom and meets the Class A and Class B requirements of all specifications referenced on this test report. No surface marking of sonic indications is performed.

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC (Kaiser), is ISO-9001:2008/AS9100C certified and hereby certifies that all material shipped under this order:

- * has been inspected, tested, and found to be in conformance with the requirements of the specifications indicated herein. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements.
- * was melted in the United States of America or a qualifying country per DFARS 225.872 1(a), was manufactured in the United States of America, and meets the requirements of DFARS 252.225 for domestic content.
- * has been thermally processed in compliance with AMS 2772, where applicable.
- * is mercury free, within the limits of detection of ASTM E1251 (< = 1ppm).
- * is in compliance with RoHS 2, European Union Directive 2011/65/EU.
- * is in compliance with and regularly monitors any updates to the European Chemical Agency, ECHA, REACH regulations, (EC) n°1907/2006.
- * is free of Conflict Minerals, as defined in Section 15.2 of the Dodd-Frank Act.

Any warranty is limited to that shown on Kaiser Aluminum's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of the Kaiser Aluminum laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law.



JAMES HEMENWAY, TECHNICAL PROCESS MANAGER


**INTERORG TRANSFER
PACKING SLIP/
CERTIFICATE OF CONFORMANCE**

Page 1 of 2

Shipment No:3308869

Ship From: A. M. CASTLE & CO. 3050 S HYDRAULIC WICHITA, KS 67216 USA		Sold To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA		Ship To: A. M. CASTLE & CO. 2150 ARGENTIA ROAD MISSISSAUGA, ON L5N 2K7 CAN		Deliver To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	
Date Shipped 16-JUN-17	F.O.B. ORIGIN	Freight Terms Prepaid	Carrier ABF	BOL No 3308869-2			

Shipment Details **Final Destination Branch - TOR**

Order No 4784994	Line No 1	Item No 750023.MO	Description 0.2500.PL.7075.T651.ALUMINUM.48.5000.144.5000 CUT 2SIDED TO 6 IN (+ .1250/- .0000 IN) X 144.5 IN (+ .1250/- .0000 IN) - ALUMINUM PLATE SAW SPECIFICATIONS: AMS-QQ-A-250/12				
Purchase Order No 36549		Part Number	Ordered Qty 1.00 PCS	Invoice Qty 1.00 PCS			
<p>Details</p> <p>ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #'S Email P/s and certs to: clavoie@dartaero.com END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS</p>							
Delivery No. 121121437	Mill KAISER ALUMINUM	Heat Number 	Mech Id	PCS 1 ✓	Width (IN)	Length (IN)	Shipped Qty(LBS) 22.8550

8077-60-24

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations.

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations.

Date Printed: 16-JUN-2017 02:13:19 PM

INTERORG TRANSFER
PACKING SLIP/
CERTIFICATE OF CONFORMANCE

Page 2 of 2

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.	
Reviewed by Authorized Castle Metals Representative:	Date: Name:

Anthony D. Rogers


807626

SHIP TO:

A M CASTLE & CO
3050 SOUTH HYDRAULIC
WICHITA, KS 67216

**KAISER
ALUMINUM**

Trentwood Works - Spokane, WA 99215

Phone: (800) 367-2586

CERTIFIED TEST REPORT

Serial Number

4438311

SOLD TO:

AM CASTLE & CO- SOLD TO
1420 KENSINGTON RD
SUITE 220
OAK BROOK, IL 60523

CUSTOMER PO NUMBER: 400174-1	WORK PACKAGE:	CUSTOMER PART NUMBER: 750023	SHIP RUN/LOAD: 103731/3	GOV'T CONTRACT NUMBER:
KAISER ORDER NO: 1222864-1	SHIP DATE: 31-OCT-2016	ALLOY: 7075	CLAD: BARE	TEMPER: T651
PRODUCT DESCRIPTION: Sawed Plate				
WEIGHT SHIPPED: 1080 LB	QUANTITY: 6 PCS EST.	TRUCK B/L #: 2063216	GAGE: 0.2500 IN (6.3500 MM)	DIAMETER/WIDTH: 48.500 IN (1231.9 MM)
			LENGTH: 144.500 IN (3670.3 MM)	

MHU 2052582: LOT 195976B6: 6 pieces;

Certified Specifications

AMS 4045/RevL

AMS-QQ-A-250/12/RevA

ASTM B 209/Rev14

DAS
AMP 025/RevV

Test Code: 1512

Lot: 9109976B6

Cast 302

Drop 11

Test Results

Ingot 2

Melted in USA

(ASTM E8/B557)

(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T651	LT / 2 (Min:Max)	87.8 : 89.0 (605 : 614)	78.1 : 78.9 (538 : 544)	11.1 : 11.8

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual(wt%)	0.07	0.13	1.5	0.02	2.6	0.19	5.7	0.02	0.01	0.01	TOT 0.06

ALLOY LIMITS

	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER	MAX
7075												
MIN(wt%)	0.00	0.00	1.2	0.00	2.1	0.18	5.1	0.00	0.00	0.00	EACH	0.05
MAX(wt%)	0.40	0.50	2.0	0.30	2.9	0.28	6.1	0.20	0.05	0.05	TOT	0.15

Aluminum Remainder

ORDER COMMENTS

AMC CA-15409 R 3



KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586

CERTIFIED TEST REPORT

Serial Number
4438311

CERTIFICATION

Kaiser Aluminum, Trentwood Works, is ISO 9001, AS9100, and ISO 14001 certified, and hereby certifies that all material shipped under this order:

* has been inspected, tested, and found to be in conformance with the requirements of the specifications indicated herein.

All test equipment and measuring devices are calibrated and certified in accordance applicable specifications. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements. Reported elongation values have been measured as elongation at fracture.

* was melted in the United States of America or a qualifying country per DFARS 225.872-1(a), was manufactured in the United States of America, and meets the requirements of DFARS 252.225 for domestic content.

* has been thermally processed in compliance with AMS 2772, where applicable.

* is mercury free, within the limits of detection of ASTM E1215 (< 1 ppm).

* is in compliance with RoHS 2, European Union Directive 2011/65/EU.


* is in compliance with European Chemical Agency, ECHA, REACH regulations, (EC) No 1907/2006, and Kaiser regularly monitors these regulations for updates.

* is free of Conflict Minerals, as defined in Section 15.2 of the Dodd-Frank Act.

* is free of weld repair.

* meets the reporting requirements of EN10204, Type 3.1.

Any warranty is limited to that shown on Kaiser Aluminum's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of the Kaiser Aluminum laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law.



JAMES HEMENWAY, TECHNICAL PROCESS MANAGER



INTERORG TRANSFER PACKING SLIP/ CERTIFICATE OF CONFORMANCE

Page 1 of 2


Shipment No:3308869

Ship From: A. M. CASTLE & CO. 3050 S HYDRAULIC WICHITA, KS 67216 USA		Sold To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA		Ship To: A. M. CASTLE & CO. 2150 ARGENTIA ROAD MISSISSAUGA, ON L5N 2K7 CAN		Deliver To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	
Date Shipped 16-JUN-17	F.O.B. ORIGIN	Freight Terms Prepaid	Carrier ABF	BOL No 3308869-2			

Shipment Details

Order No	Line No	Item No	Description
4784994	2	752188.MO	1.0000.PL.7075.T651.ALUMINUM.USI.48.5000.144.5000 CUT 2SIDED TO 6 IN (+ .1250/- .0000 IN) X 144.5 IN (+ .1250/- .0000 IN) - ALUMINUM PLATE SAW SPECIFICATIONS: AMS-QQ-A-250/12
Purchase Order No 36549	Part Number		Ordered Qty 1.00 PCS
			Invoice Qty 1.00 PCS

Details
ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY
ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #'S
Email P/s and certs to: clavoie@dartaero.com
END USER: DART AEROSPACE
END USE: COMMERCIAL AIRCRAFT PARTS

Delivery No.	Mill	Heat Number	Mech Id	PCS	Width (IN)	Length (IN)	Shipped Qty(LBS)
121121437	CONSTELLUM ROLLED PRODUCTS			1			90.2818

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations.

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations.

Date Printed: 16-JUN-2017 02:13:19 PM

INTERORG TRANSFER
PACKING SLIP/
CERTIFICATE OF CONFORMANCE

Page 2 of 2

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.	
Reviewed by Authorized Castle Metals Representative:	Date: Name:

8/7/6-20

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations.

Date Printed: 16-JUN-2017 02:13:19 PM



Constellium




CERTIFIED TEST REPORT
Constellium Rolled Products
Ravenswood, LLC

S
H
I
P
T
O

A M CASTLE CO
3050 SO HYDRAULIC
WICHITA KS
67216
US

S
O
L
D
T
O

A M CASTLE
1420 KENSINGTON ROAD, SUITE 220
OAK BROOK IL
60523
US

A M CASTLE		110539772		4075		INCLUSION		Serial:20170527-0110539772		Pg 1of4	
CUSTOMER PURCHASE ORDER NO. & ITEM 419757						Constellium ORDER NO. 203735					
ALLOY 7075	CLAD	TEMPER T651	GAUGE 1.00000 in 25.40 mm	WIDTH 48.50000 in 1,232 mm	LENGTH 144.50000 in 3,670 mm		CERTIFICATION "Constellium Rolled Products, hereby certifies that metal shipped under this order has been inspected and found in conformance with the requirements of the applicable specifications as indicated herein. Any warranty is limited to that shown on Constellium Rolled Products' standard General Terms and Conditions of Sales. Test reports are on file, subject to examination." Constellium Rolled Products Ravenswood, LLC 859 Century Road P.O. BOX 68 RAVENSWOOD, WV 26164 USA  Steve Good - Laboratory Manager				
ITEM ORDERED SPEC PLATE, SAWED MILL FINISH											
CUSTOMER SPECIFICATION AMS 4045K											
PART NUMBER 752188			B/L NUMBER 81388		DATE SHIPPED 05/29/2017						
WT. SHIPPED 5770.000 LB		NO. OF PIECES 000008		GOVT. CONTRACT NO.							

ALL LOTS ON THIS CERTIFICATION ALSO CONFORM TO THE FOLLOWING REQUIREMENTS:

ASTM B594 REV 13 2013 100% SONIC W/ 0.125"DEADZONE Class A
 AMS QQ-A-250/12A
 AMS-STD-2154A 2012 TYPE1 CLASS A 100% SONIC MINUS DEADZONE
 ASTM B209-14
 BSS-7055B 2013 CLASS A 100% SONIC TESTED MINUS DEADZONE
 CST1006 REV E 2011 CLASS A 100% SONIC MINUS DEADZONE
 DPS 4.713 REV AK 2012 CLASS A 100% SONIC MINUS DEADZONE
 GAMPS 9101 REV B 2006 CLASS A 100% SONIC MINUS DEADZONE
 PS 21211P 2010 CLASS A 100% SONIC MINUS DEADZONE

Load Details

Package	Net Lbs	Kg	Lot	DAS 5 Piece	Serial	Parent Lot
1001522455	725.000	328.854	9387991	01		
1001522455	725.000	328.854	9387991	02		
1001522455	725.000	328.854	9387991	03		
1001522460	725.000	328.854	9387992	01		
1001522460	725.000	328.854	9387992	02		
1001522460	725.000	328.854	9387992	03		
1001522466	710.000	322.050	9387993	01		
1001522466	710.000	322.050	9387993	02		

Lot: 9387991

Tensile - Room Temperature (US)

		Ultimate (KSI)		Yield (KSI)		Elongation (%)		Report
Direction	Tests	Min	Max	Min	Max	Min	Max	
LT	02	79.8	80.5	70.1	72.3	13.0	13.0	






CERTIFIED TEST REPORT
Constellium Rolled Products
Ravenswood, LLC

S
H
I
P
T
O

A M CASTLE CO
3050 SO HYDRAULIC
WICHITA KS
67216
US

S
O
L
D
T
O

A M CASTLE
1420 KENSINGTON ROAD, SUITE 220
OAK BROOK IL
60523
US

A M CASTLE		110539772		4075		INCLUSION		Serial:20170527-0110539772		Pg 2of4	
CUSTOMER PURCHASE ORDER NO. & ITEM 419757						Constellium ORDER NO. 203735					
ALLOY 7075	CLAD	TEMPER T651	GAUGE 1 00000 in 25 40 mm	WIDTH 48 50000 in 1,232 mm	LENGTH 144.50000 in 3,670 mm		CERTIFICATION "Constellium Rolled Products, hereby certifies that metal shipped under this order has been inspected and found in conformance with the requirements of the applicable specifications as indicated herein. Any warranty is limited to that shown on Constellium Rolled Products' standard General Terms and Conditions of Sales. Test reports are on file, subject to examination." Constellium Rolled Products Ravenswood, LLC 859 Century Road P.O. BOX 68 RAVENSWOOD, WV 26164 USA  Steve Good - Laboratory Manager				
ITEM ORDERED SPEC PLATE, SAWED MILL FINISH											
CUSTOMER SPECIFICATION AMS 4045K											
PART NUMBER 752188			B/L NUMBER 81388		DATE SHIPPED 05/29/2017						
WT. SHIPPED 5770 000 LB		NO. OF PIECES 000008		GOVT. CONTRACT NO.							
Tensile - Room Temperature (SI)											
Ultimate (N/MM2)				Yield (N/MM2)		Elongation (%)		Report			
Direction	Tests	Min	Max	Min	Max	Min	Max				
LT	02	550	555	483	498	13.0	13.0				
Chemistry (Actual)											
	SI	FE	CU	MN	MG	CR	ZN	TI	ZR		
Core	0.05	0.16	1.38	0.03	2.48	0.20	5.45	0.04	0.01		
OTHERS-EACH: .05 MAX. OTHERS TOTAL: .15 MAX. AL REMAINDER											
All material contained in this lot was cast and manufactured in the USA											
Lot: 9387992											
Tensile - Room Temperature (US)											
Ultimate (KSI)				Yield (KSI)		Elongation (%)		Report			
Direction	Tests	Min	Max	Min	Max	Min	Max				
LT	02	80.3	80.6	71.5	72.0	12.5	13.5				





Constellium




CERTIFIED TEST REPORT
Constellium Rolled Products
Ravenswood, LLC

S
H
I
P
T
O

A M CASTLE CO
3050 SO HYDRAULIC
WICHITA KS
67216
US

S
O
L
D
T
O

A M CASTLE
1420 KENSINGTON ROAD, SUITE 220
OAK BROOK IL
60523
US

A M CASTLE		110539772		4075		INCLUSION		Serial: 20170527-0110539772		Pg 3of4	
CUSTOMER PURCHASE ORDER NO. & ITEM 419757						Constellium ORDER NO. 203735			CERTIFICATION "Constellium Rolled Products, hereby certifies that metal shipped under this order has been inspected and found in conformance with the requirements of the applicable specifications as indicated herein. Any warranty is limited to that shown on Constellium Rolled Products' standard General Terms and Conditions of Sales. Test reports are on file, subject to examination." Constellium Rolled Products Ravenswood, LLC 859 Century Road P.O. BOX 68 RAVENSWOOD, WV 26164 USA  Steve Good - Laboratory Manager		
ALLOY 7075	CLAD	TEMPER T651	GAUGE 1.00000 in 25.40 mm	WIDTH 48.50000 in 1,232 mm	LENGTH 144.50000 in 3,670 mm						
ITEM ORDERED SPEC PLATE, SAWED MILL FINISH											
CUSTOMER SPECIFICATION AMS 4045K											
PART NUMBER 752188			B/L NUMBER 81388		DATE SHIPPED 05/29/2017						
WT. SHIPPED 5770.000 LB		NO. OF PIECES 000008		GOVT. CONTRACT NO.							

Tensile - Room Temperature (SI)								
		Ultimate (N/MM2)		Yield (N/MM2)		Elongation (%)		Report
Direction	Tests	Min	Max	Min	Max	Min	Max	
LT	02	554	556	493	496	12.5	13.5	

Chemistry (Actual)									
	SI	FE	CU	MN	MG	CR	ZN	TI	ZR
Core	0.05	0.16	1.38	0.03	2.48	0.20	5.45	0.04	0.01

OTHERS-EACH: .05 MAX. OTHERS TOTAL: .15 MAX. AL REMAINDER

All material contained in this lot was cast and manufactured in the USA																											
Lot: 9387993																											
Tensile - Room Temperature (US) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th colspan="2"></th> <th colspan="2">Ultimate (KSI)</th> <th colspan="2">Yield (KSI)</th> <th colspan="2">Elongation (%)</th> <th>Report</th> </tr> <tr> <th>Direction</th> <th>Tests</th> <th>Min</th> <th>Max</th> <th>Min</th> <th>Max</th> <th>Min</th> <th>Max</th> <th></th> </tr> <tr> <td>LT</td> <td>02</td> <td>79.9</td> <td>80.8</td> <td>70.4</td> <td>71.5</td> <td>13.0</td> <td>13.5</td> <td></td> </tr> </table>			Ultimate (KSI)		Yield (KSI)		Elongation (%)		Report	Direction	Tests	Min	Max	Min	Max	Min	Max		LT	02	79.9	80.8	70.4	71.5	13.0	13.5	
		Ultimate (KSI)		Yield (KSI)		Elongation (%)		Report																			
Direction	Tests	Min	Max	Min	Max	Min	Max																				
LT	02	79.9	80.8	70.4	71.5	13.0	13.5																				





Constellium




CERTIFIED TEST REPORT
Constellium Rolled Products
Ravenswood, LLC

S
H
I
P
T
O

A M CASTLE CO
3050 SO HYDRAULIC
WICHITA KS
67216
US

S
O
L
D
T
O

A M CASTLE
1420 KENSINGTON ROAD, SUITE 220
OAK BROOK IL
60523
US

A M CASTLE		110539772		4075		INCLUSION		Serial:20170527-0110539772		Pg 4of4																												
CUSTOMER PURCHASE ORDER NO. & ITEM 419757						Constellium ORDER NO. 203735																																
ALLOY 7075		CLAD		TEMPER T651		GAUGE 1.00000 in 25.40 mm		WIDTH 48.50000 in 1,232 mm		LENGTH 144.50000 in 3,670 mm																												
ITEM ORDERED SPEC PLATE, SAWED MILL FINISH						CERTIFICATION "Constellium Rolled Products, hereby certifies that metal shipped under this order has been inspected and found in conformance with the requirements of the applicable specifications as indicated herein. Any warranty is limited to that shown on Constellium Rolled Products' standard General Terms and Conditions of Sales. Test reports are on file, subject to examination." Constellium Rolled Products Ravenswood, LLC 859 Century Road P.O. BOX 68 RAVENSWOOD, WV 26164 USA  Steve Good - Laboratory Manager																																
CUSTOMER SPECIFICATION AMS 4045K																																						
PART NUMBER 752188				B/L NUMBER 81388								DATE SHIPPED 05/29/2017																										
WT. SHIPPED 5770.000 LB			NO. OF PIECES 000008		GOVT. CONTRACT NO.																																	
Tensile - Room Temperature (SI) <table border="1" style="width:100%; border-collapse: collapse; margin-top: 10px;"> <thead> <tr> <th colspan="2"></th> <th colspan="2">Ultimate (N/MM2)</th> <th colspan="2">Yield (N/MM2)</th> <th colspan="2">Elongation (%)</th> <th>Report</th> </tr> <tr> <th>Direction</th> <th>Tests</th> <th>Min</th> <th>Max</th> <th>Min</th> <th>Max</th> <th>Min</th> <th>Max</th> <th></th> </tr> </thead> <tbody> <tr> <td>LT</td> <td>02</td> <td>551</td> <td>557</td> <td>485</td> <td>493</td> <td>13.0</td> <td>13.5</td> <td></td> </tr> </tbody> </table>														Ultimate (N/MM2)		Yield (N/MM2)		Elongation (%)		Report	Direction	Tests	Min	Max	Min	Max	Min	Max		LT	02	551	557	485	493	13.0	13.5	
		Ultimate (N/MM2)		Yield (N/MM2)		Elongation (%)		Report																														
Direction	Tests	Min	Max	Min	Max	Min	Max																															
LT	02	551	557	485	493	13.0	13.5																															
Chemistry (Actual) <table style="width:100%; border-collapse: collapse; margin-top: 10px;"> <tr> <td></td> <td>SI</td> <td>FE</td> <td>CU</td> <td>MN</td> <td>MG</td> <td>CR</td> <td>ZN</td> <td>TI</td> <td>ZR</td> </tr> <tr> <td>Core</td> <td>0.05</td> <td>0.16</td> <td>1.38</td> <td>0.03</td> <td>2.48</td> <td>0.20</td> <td>5.45</td> <td>0.04</td> <td>0.01</td> </tr> </table>													SI	FE	CU	MN	MG	CR	ZN	TI	ZR	Core	0.05	0.16	1.38	0.03	2.48	0.20	5.45	0.04	0.01							
	SI	FE	CU	MN	MG	CR	ZN	TI	ZR																													
Core	0.05	0.16	1.38	0.03	2.48	0.20	5.45	0.04	0.01																													
OTHERS-EACH: .05 MAX. OTHERS TOTAL: .15 MAX. AL REMAINDER																																						
All material contained in this lot was cast and manufactured in the USA																																						
QUALITY TEXTS: AMC CA-15403 R 8																																						
THIS TEST REPORT SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT THE WRITTEN APPROVAL OF THE LABORATORY OR AUTHORIZED QUALITY DELEGATE. THE RECORDING OF FALSE, FICTITIOUS, OR FRAUDULENT STATEMENTS OR ENTRIES ON THE CERTIFICATE MAY BE PUNISHED AS A FELONY UNDER FEDERAL LAW. CHEMISTRY BY OES: ARKSPARK CHEMISTRIES REPORTED IN PERCENTAGE BY WEIGHT WHEN FRACTURE TOUGHNESS TEST REQUIRED, TESTED PER ASTM E399 WHEN TENSILE TEST REQUIRED, TESTED PER ASTM E8; B557 DUNS Number: 090570149; CAGE Code: 1YWL9 Mercury is not a normal contaminant in aluminum alloys and neither mercury nor any of its compounds were utilized in the manufacture of our product. "END OF CERTIFICATION"																																						



MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M7075+654mX3.000
 DATE: JUN 28 2017

PO / BATCH NO.: 0036549/M137865

MATERIAL CERT REC'D: yes
 QUANTITY RECEIVED: 12'
 QUANTITY INSPECTED: 12'
 QUANTITY REJECTED: 0

THICKNESS ORDERED: 3"
 THICKNESS RECEIVED: 3"
 SHEET SIZE ORDERED: N/A
 SHEET SIZE RECEIVED: N/A

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	Y	<u>N</u>	
CORRECT FINISH	<u>Y</u>	N	
CORROSION	Y	<u>N</u>	
CORRECT GRAIN DIRECTION	<u>Y</u>	N	
CORRECT MATERIAL PER M-DRAWING	<u>Y</u>	N	<u>ASTM B209</u>
CORRECT THICKNESS	<u>Y</u>	N	
PHOTO REQUIRED	Y	<u>N</u>	
CORRECT REF # TO LINK CERT	<u>Y</u>	N	<u>HT # 170334B7</u>
CORRECT MATERIAL IDENTIFICATION	<u>Y</u>	N	
CORRECT M# ON THE MATERIAL	<u>Y</u>	N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	<u>N</u>	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	<u>N</u>	

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
TYPE OF MATERIAL SIZE OF TEST SAMPLE HARDNESS / DUROMETER READING	HRC	HRB	DUR A	DUR D	

testers located in the Quality Office

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>DAS 5</u> DATE: <u>9-89 JUN 28 2017</u>	SIGNED OFF BY: _____ DATE: _____	

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

 **PREFERRED SIZE: .TT BY 4FT BY 10FT FOR SHEET**

2017 JUN 19
ECN 17-574

COPYRIGHT © 2010 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE BASIS OF CONFIDENTIALITY. IT IS NOT TO BE USED FOR ANY PURPOSES OR DISCLOSED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT THE WRITTEN PERMISSION OF DART AEROSPACE LTD.



MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M7075T6SG000X0.250

PO / BATCH NO.: 0036549/113287

DATE: JUN 27 2017

MATERIAL CERT REC'D: yes

THICKNESS ORDERED: .250"

QUANTITY RECEIVED: 12'

THICKNESS RECEIVED: .250"

QUANTITY INSPECTED: 12'

SHEET SIZE ORDERED: N/A

QUANTITY REJECTED: 0

SHEET SIZE RECEIVED: N/A

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	
CORRECT FINISH	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	
CORROSION	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	
CORRECT GRAIN DIRECTION	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	
CORRECT MATERIAL PER M-DRAWING	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	Astm B209
CORRECT THICKNESS	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	
PHOTO REQUIRED	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	
CORRECT REF # TO LINK CERT	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	Ht #195976B6
CORRECT MATERIAL IDENTIFICATION	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	
CORRECT M# ON THE MATERIAL	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input type="checkbox"/> N <input checked="" type="checkbox"/>	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input type="checkbox"/> N <input checked="" type="checkbox"/>	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
TYPE OF MATERIAL	HRC	HRB	DUR A	DUR D	
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 1B INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>DAS</u> <u>5</u> DATE: <u>JUN 27 2017</u>	SIGNED OFF BY: _____ DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

SPECIFICATION CONTROL DRAWING

A PURCHASE MATERIAL: 7075-T6/T62/T651 ALUMINUM SHEET OR PLATE

SPECIFICATION:

QQ-A-250/12 OR AMS-QQ-A-250/12
OR AMS 4045
OR ASTM B209

OR

A PURCHASE MATERIAL: 7075-T6/T62/T651 ALCLAD ALUMINUM SHEET OR PLATE

SPECIFICATION:

QQ-A-250/13 OR AMS-QQ-A-250/13
OR AMS 4048 / 4049
OR ASTM B209

A PART NUMBER:

M7075T6S | .TTT | X | W.WWWW |
| THK | | WIDTH |

A WHERE ".TTT" = THICKNESS (IN INCHES)

AND "W.WWWW" = WIDTH (IN INCHES, OPTIONAL, FOR SPECIFYING CUT PLATE)

EG. 0.063" THICK SHEET = M7075T6S.063

EG. 3.5" WIDE BY 0.500" THICK PLATE = M7075T6S.500X3.500

A PREFERRED SIZE:

.TTT BY 4FT BY 10FT FOR SHEET

RELEASED

2017 JUN 19 40
ECN 17-574

APPROVED

B	ADD. REF. TO "PLATE". "T651" TEMPER, AMS 4048, OPTIONAL WIDTH DIM (CAR16-149)	CP	17.05.05
A	NEW ISSUE	RF	10.11.00
REV.	DESCRIPTION	BY	DATE
DESIGN	RF		
DRAWN	CP		
CHECKED	ML		
MFG. APPR.	LL		
APPROVED	WM		
DE APPR.	DS		
DATE	17.05.05		
DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA		REV. B	
DRAWING NO. M7075T6S		SHEET 1 OF 1	
TITLE 7075-T6 SHEET/PLATE SPEC		SCALE NTS	
COPYRIGHT © 2017 BY DART AEROSPACE LTD. THIS DOCUMENT IS UNCLASSIFIED AND IS NOT TO BE USED FOR ANY PURPOSE OR FOR DISSEMINATION TO ANY OTHER PERSON OR ENTITY WITHOUT THE WRITTEN PERMISSION OF DART AEROSPACE LTD.			

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: 17075+656,000 X 1,000
 DATE: JUN 27 2017

PO / BATCH NO.: 0036549/M137887

MATERIAL CERT REC'D: yes
 QUANTITY RECEIVED: 12'
 QUANTITY INSPECTED: 12'
 QUANTITY REJECTED: 0

THICKNESS ORDERED: 1"
 THICKNESS RECEIVED: 1"
 SHEET SIZE ORDERED: N/A
 SHEET SIZE RECEIVED: N/A

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y (N)	
CORRECT FINISH	(Y) N	
CORROSION	Y (N)	
CORRECT GRAIN DIRECTION	(Y) N	
CORRECT MATERIAL PER M-DRAWING	(Y) N	Astm B209
CORRECT THICKNESS	(Y) N	
PHOTO REQUIRED	Y (N)	
CORRECT REF # TO LINK CERT	(Y) N	HT # 9387991
CORRECT MATERIAL IDENTIFICATION	(Y) N	
CORRECT M# ON THE MATERIAL	(Y) N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y (N)	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y (N)	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
TYPE OF MATERIAL	HRC	HRB	DUR A	DUR D	
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>DAS 5</u> DATE: <u>9-89 JUN 27 LUL</u>	SIGNED OFF BY: _____ DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

SPECIFICATION CONTROL DRAWING

PURCHASE MATERIAL: 7075-T6/T62/T651 ALUMINUM SHEET OR PLATE

SPECIFICATION: QQ-A-250/12 OR AMS-QQ-A-250/12
OR AMS 4045
OR ASTM B209

OR

PURCHASE MATERIAL: 7075-T6/T62/T651 ALCLAD ALUMINUM SHEET OR PLATE

SPECIFICATION: QQ-A-250/13 OR AMS-QQ-A-250/13
OR AMS 4048 / 4049
OR ASTM B209

PART NUMBER: M7075T6S | TTT | X | W.WWWW |
| THK | | WIDTH |

WHERE ".TTT" = THICKNESS (IN INCHES)
AND "W.WWWW" = WIDTH (IN INCHES, OPTIONAL, FOR SPECIFYING CUT PLATE)

EG. 0.063" THICK SHEET = M7075T6S.063

EG. 3.5" WIDE BY 0.500" THICK PLATE = M7075T6S.500X3.500

PREFERRED SIZE: .TTT BY 4FT BY 10FT FOR SHEET

RELEASED

2017 JUN 19 4

ECN 17-574

APPROVED

B	ADD: REF TO "PLATE" "T651" TEMPER, AMS 4048, OPTIONAL WIDTH DIM (CAR16-149)	CP	17.05.05
A	NEW ISSUE	RF	10.11.08
REV.	DESCRIPTION	BY	DATE
DESIGN	RF		
DRAWN	CP		
CHECKED	ML		
MFG. APPR.	LL		
APPROVED	WM		
DE APPR.	DS		
DATE	17.05.05		
DART AEROSPACE LTD HAYKESBURY, ONTARIO, CANADA			
DRAWING NO. M7075T6S			
REV. B			
SHEET 1 OF 1			
TITLE 7075-T6 SHEET/PLATE SPEC			
SCALE NTS			
COPYRIGHT © 2013 BY DART AEROSPACE LTD			
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS UNDERSTANDING THAT IT IS NOT TO BE USED FOR ANY PURPOSES OTHER THAN THAT FOR WHICH IT WAS SPECIFICALLY PREPARED BY DART AEROSPACE LTD.			



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO36549

Purchase Order Date 6/2/2017
PO Print Date 6/22/2017

Page Number 1 of 2

Order From :
METAUX CASTLE
P.O. BOX 4090 STN A
TORONTO, ONTARIO M5W OE9
CANADA

VU-MET002

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

REVISED P/W:

Contact Name
Vendor Phone

Buyer
Customer POID
Customer Tax #
Terms
Currency
FOB

Chantal Lavoie
10127-2607
Net 30
USD
Destination-Collect

Ship To Contact

Ship To Phone

Ship Via: Yours ppd

Ship Acct:

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
----------	-----------------------------------------------------------------------	------------------------	--------------------------------------	----	--------------------------------	---------------	-------------------

1	M7075T6S4.000X3.000	7075-T6S Sheet 3" Wide x 4" Thick Plate	6/22/2017 Yes 6/22/2017	FN	12.00 f	\$76.08	\$913.00
---	---------------------	--------------------------------------------	-------------------------------	----	------------	---------	----------

MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR
AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR
PER AMS-QQ-A-200/11 OR QQ-A-250/12 CUT FROM PLATE

NOTE: PLEASE CUT IN SECTION OF 6 FT LENGHT

SP176-26

Line Total: \$913.00

2	M7075T6S6.000X0.250	7075-T6S Sheet 0.25" Wide x 6" Thick Plate	6/22/2017 Yes 6/22/2017	FN	12.00 f	\$20.75	\$249.00
---	---------------------	-----------------------------------------------	-------------------------------	----	------------	---------	----------

MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR
AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR
PER AMS-QQ-A-200/11 OR QQ-A-250/12 CUT FROM PLATE

SP176-26

Line Total: \$249.00

Note:

6/22/2017



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO36549

Purchase Order Date 6/2/2017

PO Print Date 6/22/2017

Page Number 2 of 2

Order From : VU-MET002

METAUX CASTLE
P.O. BOX 4090 STN A
TORONTO, ONTARIO M5W OE9
CANADA

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone

Ship To Contact

Ship To Phone

Ship Via:

Yours ppd

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax #

10127-2607

Terms

Net 30

Currency

USD

FOB

Destination-Collect

3	M7075T6S6.000X1.000	7075-T6S Sheet 1" Wide x 6" Thick Plate	✓	6/22/2017	FN	12.00	✓	\$44.25	\$531.00
---	---------------------	-----------------------------------------	---	-----------	----	-------	---	---------	----------

Yes

f

6/22/2017

MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR
AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR
PER AMS-QQ-A-200/11 OR QQ-A-250/12 CUT FROM PLATE

8817-6-26

Line Total: \$531.00

4	71401-45	PROCUREMENT QUALITY CLAUSES	✓	6/22/2017		1.00	✓	\$0.00	\$0.00
---	----------	-----------------------------	---	-----------	--	------	---	--------	--------

No

6/22/2017

Procurement Quality Clauses

A005 right of entry

A012 chemical and physical test report

A016 personnel qualification

A017 raw material identification (as applicable)

A026 certification of material conformance

A041 quality management system

A042 dart notification by supplier

A043 retention of quality documents

8817-6-26

Line Total: \$0.00

PO Total: \$1,693.00

CL

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Change Nbr: 2

Change Date: 6/22/2017